



DISEGNI QUOTATI IN ACCIAIO

I disegni quotati sono pubblicati in ordine alfabetico di denominazione.


INSTALLAZIONE IN ACCIAIO




DENOMINAZIONE	QUOTE				
	A	B1	B2	C	S
AQ 757	75	135	135	75	1,2
AQ 107	100	135	160	75	1,2
AQ 157	150	135	210	75	1,2
AQ 207	200	135	260	75	1,2
AQ 307	300	135	360	75	1,2
AQ 407	400	135	460	75	1,2
AQ 507	500	135	560	75	1,2
AQ 101	100	160	160	100	1,2
AQ 151	150	160	210	100	1,2
AQ 201	200	160	260	100	1,2
AQ 301	300	160	360	100	1,2
AQ 401	400	160	460	100	1,2
AQ 501	500	160	560	100	1,2
AQ 601	600	160	660	100	1,2




DENOMINAZIONE	QUOTE				
	A	B1	B2	C	S
AQ44 757	75	125	125	75	1,2
AQ44 107	100	125	150	75	1,2
AQ44 157	150	125	200	75	1,2
AQ44 207	200	125	250	75	1,2
AQ44 307	300	125	350	75	1,2
AQ44 101	100	150	150	100	1,2
AQ44 151	150	150	200	100	1,2
AQ44 201	200	150	250	100	1,2
AQ44 301	300	150	350	100	1,2




DENOMINAZIONE	QUOTE
	S
BDL 3012	1,2
BDL 3020	2,0




DENOMINAZIONE	QUOTE				
	A	B1	B2	C	S
D4 077	75	210	140	75	0,8
D4 107	100	210	140	75	0,8
D4 157	150	210	140	75	1,0
D4 207	200	210	140	75	1,0
D4 307	300	210	140	75	1,2
D4 407	400	210	140	75	1,2
D4 507	500	210	140	75	1,2
D4 101	100	227	165	100	0,8
D4 151	150	227	165	100	1,0
D4 201	200	227	165	100	1,0
D4 301	300	227	165	100	1,2
D4 401	400	227	165	100	1,2
D4 501	500	227	165	100	1,2
D4 601	600	227	165	100	1,2






DENOMINAZIONE	QUOTE			
	A	B	C	S
D9 077	75	240	75	0,8
D9 107	100	240	75	0,8
D9 157	150	240	75	1,0
D9 207	200	240	75	1,0
D9 307	300	240	75	1,2
D9 407	400	240	75	1,2
D9 507	500	240	75	1,2
D9 101	100	265	100	0,8
D9 151	150	265	100	1,0
D9 201	200	265	100	1,0
D9 301	300	265	100	1,2
D9 401	400	265	100	1,2
D9 501	500	265	100	1,2
D9 601	600	265	100	1,2








DENOMINAZIONE	QUOTE			
	A	B	C	S
DV 9077	75	240	75	0,8
DV 9107	100	240	75	0,8
DV 9157	150	240	75	1,0
DV 9207	200	240	75	1,0
DV 9307	300	240	75	1,2
DV 9407	400	240	75	1,2
DV 9507	500	240	75	1,2
DV 9101	100	265	100	0,8
DV 9151	150	265	100	1,0
DV 9201	200	265	100	1,0
DV 9301	300	265	100	1,2
DV 9401	400	265	100	1,2
DV 9501	500	265	100	1,2



DENOMINAZIONE	QUOTE
	A
GB 345	270
GB 400	370
GB 500	470





DENOMINAZIONE	QUOTE
	A
GSO 75	54
GSO 100	76




DENOMINAZIONE	QUOTE
	A
GSV 75	54
GSV 100	76

DENOMINAZIONE	QUOTE
	S
MA 15	1,5




DENOMINAZIONE	QUOTE		
	A	B	S
MA-N 20	38	30	2
MAF-N	40	33	3




DENOMINAZIONE	QUOTE			
	A	B1	S	S1
MAN 075	75	130	1,5	6
MAN 100	100	160	1,5	6
MAN 150	150	210	1,5	6
MAN 200	200	260	1,5	6
MAN 300	300	360	3,0	8

A = larghezza della base del canale




DENOMINAZIONE	QUOTE		
	A	B1	S
MAN-N 300	300	358	2,5
MAN-N 400	400	458	2,5
MAN-N 500	500	558	2,5
MAN-N 600	600	658	2,5

A = larghezza della base del canale






DENOMINAZIONE	QUOTE				
	A	B1	B2	B3	S
MOC 100	100	195	150	170	1,2
MOC 200	200	245	150	170	1,2
MOC 300	300	345	220	170	1,2
MOC 400	400	445	270	170	1,5
MOC 500	500	545	320	170	1,5

A = larghezza della base del canale




DENOMINAZIONE	QUOTE			
	A	B1	B3	S
MOL 100	100	190	170	1,2
MOL 200	200	240	170	1,2
MOL 300	300	340	170	1,2
MOL 400	400	440	170	1,5
MOL 500	500	540	170	1,5

A = larghezza della base del canale




DENOMINAZIONE	QUOTE				
	A	B1	B2	B3	S
MSU 75	75	130	33	180	1,5
MSU 100	100	160	33	180	1,5
MSU 150	150	210	33	180	1,5
MSU 200	200	260	33	180	1,5
MSU 300	300	360	33	180	1,5
MSU 400	400	460	33	180	2
MSU 500	500	560	33	180	2
MSU 600	600	660	33	180	2


A = larghezza della base del canale





DENOMINAZIONE	QUOTE				
	A	B1	B2	C	S
P4 077	75	140	210	75	0,8
P4 107	100	165	226	75	0,8
P4 157	150	215	260	75	1,0
P4 207	200	265	297	75	1,0
P4 307	300	365	368	75	1,2
P4 407	400	465	439	75	1,2
P4 507	500	565	510	75	1,2
P4 101	100	165	226	100	0,8
P4 151	150	215	260	100	1,0
P4 201	200	265	297	100	1,0
P4 301	300	365	368	100	1,2
P4 401	400	465	439	100	1,2
P4 501	500	565	510	100	1,2
P4 601	600	665	585	100	1,2



DENOMINAZIONE	QUOTE			
	A	B	C	S
P9 077	75	240	75	0,8
P9 107	100	265	75	0,8
P9 157	150	315	75	1,0
P9 207	200	365	75	1,0
P9 307	300	465	75	1,2
P9 407	400	565	75	1,2
P9 507	500	665	75	1,2
P9 101	100	265	100	0,8
P9 151	150	315	100	1,0
P9 201	200	365	100	1,0
P9 301	300	465	100	1,2
P9 401	400	565	100	1,2
P9 501	500	665	100	1,2
P9 601	600	765	100	1,2














DENOMINAZIONE	QUOTE			
	A	B	C	S
PCR 077	75	404	75	0,8
PCR 107	100	429	75	0,8
PCR 157	150	479	75	1,0
PCR 207	200	529	75	1,0
PCR 307	300	629	75	1,2
PCR 407	400	729	75	1,2
PCR 507	500	829	75	1,2
PCR 101	100	429	100	0,8
PCR 151	150	479	100	1,0
PCR 201	200	529	100	1,0
PCR 301	300	629	100	1,2
PCR 401	400	729	100	1,2
PCR 501	500	829	100	1,2
PCR 601	600	929	100	1,2




DENOMINAZIONE	QUOTE		
	A	B1	S
PMU 075	75	130	1,5
PMU 100	100	160	1,5
PMU 150	150	210	1,5
PMU 200	200	260	1,5
PMU 300	300	360	1,5
PMU 400	400	460	2
PMU 500	500	560	2
PMU 600	600	660	2

A = larghezza della base del canale
 N.B. la linguetta dell'aggancio rapido è presente dalla misura 75 alla 300







DENOMINAZIONE	QUOTE				
	A	B1	B2	C	S
PT 077	75	404	240	75	0,8
PT 107	100	429	265	75	0,8
PT 157	150	479	315	75	1,0
PT 207	200	529	365	75	1,0
PT 307	300	629	465	75	1,2
PT 407	400	729	565	75	1,2
PT 507	500	829	665	75	1,2
PT 101	100	429	265	100	0,8
PT 151	150	479	315	100	1,0
PT 201	200	529	365	100	1,0
PT 301	300	629	465	100	1,2
PT 401	400	729	565	100	1,2
PT 501	500	829	665	100	1,2
PT 601	600	929	765	100	1,2




DENOMINAZIONE	QUOTE				
	A1	A2	B	C	S
RC 1077	100	75	300	75	1,0
RC 1517	150	100	300	75	1,0
RC 2017	200	100	300	75	1,0
RC 2157	200	150	300	75	1,0
RC 3017	300	100	350	75	1,2
RC 3027	300	200	350	75	1,2
RC 4037	400	300	350	75	1,2
RC 5047	500	400	350	75	1,2
RC 1511	150	100	300	100	1,0
RC 2011	200	100	300	100	1,0
RC 2151	200	150	300	100	1,0
RC 3011	300	100	350	100	1,2
RC 3021	300	200	350	100	1,2
RC 4031	400	300	350	100	1,2
RC 5041	500	400	350	100	1,2
RC 6051	600	500	350	100	1,2







DENOMINAZIONE	QUOTE				
	A1	A2	B	C	S
RD 1077	100	75	300	75	1,0
RD 1517	150	100	300	75	1,0
RD 2017	200	100	300	75	1,0
RD 2157	200	150	300	75	1,0
RD 3017	300	100	350	75	1,2
RD 3027	300	200	350	75	1,2
RD 4037	400	300	350	75	1,2
RD 5047	500	400	350	75	1,2
RD 1511	150	100	300	100	1,0
RD 2011	200	100	300	100	1,0
RD 2151	200	150	300	100	1,0
RD 3011	300	100	350	100	1,2
RD 3021	300	200	350	100	1,2
RD 4031	400	300	350	100	1,2
RD 5041	500	400	350	100	1,2
RD 6051	600	500	350	100	1,2




DENOMINAZIONE	QUOTE				
	A	B	C1	C2	S
RDC 1017	100	150	100	75	0,8
RDC 1517	150	150	100	75	1,0
RDC 2017	200	150	100	75	1,0
RDC 3017	300	150	100	75	1,2
RDC 4017	400	150	100	75	1,2
RDC 5017	500	150	100	75	1,2



DENOMINAZIONE	QUOTE				
	A	B1	B2	C	S
RL 077	75	404	215	75	0,8
RL 107	100	429	215	75	0,8
RL 157	150	479	215	75	1,0
RL 207	200	529	215	75	1,0
RL 307	300	629	215	75	1,2
RL 407	400	729	215	75	1,2
RL 507	500	829	215	75	1,2
RL 101	100	429	215	100	0,8
RL 151	150	479	215	100	1,0
RL 201	200	529	215	100	1,0
RL 301	300	629	215	100	1,2
RL 401	400	729	215	100	1,2
RL 501	500	829	215	100	1,2




DENOMINAZIONE	QUOTE				
	A1	A2	B	C	S
RS 1077	100	75	300	75	1,0
RS 1517	150	100	300	75	1,0
RS 2017	200	100	300	75	1,0
RS 2157	200	150	300	75	1,0
RS 3017	300	100	350	75	1,2
RS 3027	300	200	350	75	1,2
RS 4037	400	300	350	75	1,2
RS 5047	500	400	350	75	1,2
RS 1511	150	100	300	100	1,0
RS 2011	200	100	300	100	1,0
RS 2151	200	150	300	100	1,0
RS 3011	300	100	350	100	1,2
RS 3021	300	200	350	100	1,2
RS 4031	400	300	350	100	1,2
RS 5041	500	400	350	100	1,2
RS 6051	600	500	350	100	1,2




DENOMINAZIONE	QUOTE				
	A	B1	B2	C	S
S4 077	75	207	140	75	0,8
S4 107	100	207	140	75	0,8
S4 157	150	207	140	75	1,0
S4 207	200	207	140	75	1,0
S4 307	300	207	140	75	1,2
S4 407	400	207	140	75	1,2
S4 507	500	207	140	75	1,2
S4 101	100	227	168	100	0,8
S4 151	150	227	168	100	1,0
S4 201	200	227	168	100	1,0
S4 301	300	227	168	100	1,2
S4 401	400	227	168	100	1,2
S4 501	500	227	168	100	1,2
S4 601	600	227	168	100	1,2

S9




DENOMINAZIONE	QUOTE			
	A	B	C	S
S9 077	75	240	75	0,8
S9 107	100	240	75	0,8
S9 157	150	240	75	1,0
S9 207	200	240	75	1,0
S9 307	300	240	75	1,2
S9 407	400	240	75	1,2
S9 507	500	240	75	1,2
S9 101	100	265	100	0,8
S9 151	150	265	100	1,0
S9 201	200	265	100	1,0
S9 301	300	265	100	1,2
S9 401	400	265	100	1,2
S9 501	500	265	100	1,2
S9 601	600	265	100	1,2


SBC




SBL



SCD




SCR



DENOMINAZIONE	QUOTE	
	A	B
SCR 200	200	1000
SCR 300	300	1100
SCR 400	400	1200
SCR 500	500	1300
SCR 600	600	1400


SDV




DENOMINAZIONE	QUOTE	
	A	
SDV 200	200	
SDV 300	300	
SDV 400	400	
SDV 500	500	
SDV 600	600	


DENOMINAZIONE	QUOTE			
	A	B	C	S
SDXD 9077	75	240	75	0,8
SDXD 9107	100	265	75	0,8
SDXD 9157	150	315	75	1,0
SDXD 9207	200	365	75	1,0
SDXD 9307	300	465	75	1,2
SDXD 9407	400	565	75	1,2
SDXD 9507	500	665	75	1,2
SDXD 9101	100	265	100	0,8
SDXD 9151	150	315	100	1,0
SDXD 9201	200	365	100	1,0
SDXD 9301	300	465	100	1,2
SDXD 9401	400	565	100	1,2
SDXD 9501	500	665	100	1,2

SDXD









DENOMINAZIONE	QUOTE			
	A	B	C	S
SDXS 9077	75	240	75	0,8
SDXS 9107	100	265	75	0,8
SDXS 9157	150	315	75	1,0
SDXS 9207	200	365	75	1,0
SDXS 9307	300	465	75	1,2
SDXS 9407	400	565	75	1,2
SDXS 9507	500	665	75	1,2
SDXS 9101	100	265	100	0,8
SDXS 9151	150	315	100	1,0
SDXS 9201	200	365	100	1,0
SDXS 9301	300	465	100	1,2
SDXS 9401	400	565	100	1,2
SDXS 9501	500	665	100	1,2





DENOMINAZIONE	B	S
SE 7308	73	0,8
SE 9808	98	0,8
SE 3	28	0,8
SE 6	53	0,8




DENOMINAZIONE	A	B1	B2
SP4 200	200	285	450
SP4 300	300	385	520
SP4 400	400	485	590
SP4 500	500	585	660
SP4 600	600	685	730



DENOMINAZIONE	A	B
SP9 200	200	600
SP9 300	300	700
SP9 400	400	800
SP9 500	500	900
SP9 600	600	1000




DENOMINAZIONE	A1	A2	B
SRC 323	300	200	500
SRC 434	400	300	500
SRC 544	500	400	500
SRC 653	600	500	600




DENOMINAZIONE	A1	A2	B
SRD 323	300	200	500
SRD 434	400	300	500
SRD 544	500	400	500
SRD 653	600	500	600

SRS




DENOMINAZIONE	QUOTE		
	A1	A2	B
SRS 323	300	200	500
SRS 434	400	300	500
SRS 544	500	400	500
SRS 653	600	500	600

SS2




SS3



DENOMINAZIONE	QUOTE				
	A	B	C	D	S
SS3L	40	102	108	65	2
SS3P	41,5	103	113	69	3
SS3A	42,5	103	114	72	3


SSC



DENOMINAZIONE	QUOTE		
	A	B	S
SSC 075	75	95	2,0
SSC 100	100	120	2,0
SSC 150	150	170	2,0
SSC 200	200	220	2,0
SSC 300	300	320	2,0
SSC 400	400	420	2,0
SSC 500	500	520	2,0
SSC 600	600	620	2,0

A = larghezza della base del canale


SSD 42




DENOMINAZIONE	QUOTE			
	A	B	E	S
SSE 075	75	100	60	2,0
SSE 100	100	125	85	2,0
SSE 150	150	175	135	2,0
SSE 200	200	225	185	2,0
SSE 300	300	326	285	2,0
SSE 400	400	425	385	2,0
SSE 500	500	525	485	2,0
SSE 600	600	625	585	2,0

A = larghezza della base del canale

SSE




SSL 42




DENOMINAZIONE	QUOTE	
	B	S
SSL 20	43	2
SSL 42	49	3

SSR




SSRL - SSRP




DENOMINAZIONE	QUOTE
SSRL	5
SSRP	2
	3

SSXD




DENOMINAZIONE	QUOTE			
	A	B	C	S
SSXD 9077	75	240	75	0,8
SSXD 9107	100	265	75	0,8
SSXD 9157	150	315	75	1,0
SSXD 9207	200	365	75	1,0
SSXD 9307	300	465	75	1,2
SSXD 9407	400	565	75	1,2
SSXD 9507	500	665	75	1,2
SSXD 9101	100	265	100	0,8
SSXD 9151	150	315	100	1,0
SSXD 9201	200	365	100	1,0
SSXD 9301	300	465	100	1,2
SSXD 9401	400	565	100	1,2
SSXD 9501	500	665	100	1,2

SSXS




DENOMINAZIONE	QUOTE			
	A	B	C	S
SSXS 9077	75	240	75	0,8
SSXS 9107	100	265	75	0,8
SSXS 9157	150	315	75	1,0
SSXS 9207	200	365	75	1,0
SSXS 9307	300	465	75	1,2
SSXS 9407	400	565	75	1,2
SSXS 9507	500	665	75	1,2
SSXS 9101	100	265	100	0,8
SSXS 9151	150	315	100	1,0
SSXS 9201	200	365	100	1,0
SSXS 9301	300	465	100	1,2
SSXS 9401	400	565	100	1,2
SSXS 9501	500	665	100	1,2

TC44




DENOMINAZIONE	QUOTE		
	A	C	S
TC44 077	75	75	1
TC44 107	100	75	1
TC44 157	150	75	1
TC44 207	200	75	1
TC44 307	300	75	1
TC44 101	100	100	1
TC44 151	150	100	1
TC44 201	200	100	1
TC44 301	300	100	1

TCH




DENOMINAZIONE	QUOTE		
	A	C	S
TCH 077	75	75	1
TCH 107	100	75	1
TCH 157	150	75	1
TCH 207	200	75	1
TCH 307	300	75	1
TCH 407	400	75	1
TCH 507	500	75	1
TCH 101	100	100	1
TCH 151	150	100	1
TCH 201	200	100	1
TCH 301	300	100	1
TCH 401	400	100	1
TCH 501	500	100	1
TCH 601	600	100	1

VT




DENOMINAZIONE	QUOTE				
	A	B1	B2	C	S
VT 077	75	240	404	75	0,8
VT 107	100	240	404	75	0,8
VT 157	150	240	404	75	1,0
VT 207	200	240	404	75	1,0
VT 307	300	240	404	75	1,2
VT 407	400	240	404	75	1,2
VT 507	500	240	404	75	1,2
VT 101	100	265	429	100	0,8
VT 151	150	265	429	100	1,0
VT 201	200	265	429	100	1,0
VT 301	300	265	429	100	1,2
VT 401	400	265	429	100	1,2
VT 501	500	265	429	100	1,2

VTD



DENOMINAZIONE	QUOTE				
	A	B1	B2	C	S
VTD 077	75	245	405	75	0,8
VTD 107	100	270	430	75	0,8
VTD 157	150	320	480	75	1,0
VTD 207	200	370	530	75	1,0
VTD 307	300	470	630	75	1,2
VTD 407	400	570	730	75	1,2
VTD 507	500	670	830	75	1,2
VTD 101	100	270	430	100	0,8
VTD 151	150	320	480	100	1,0
VTD 201	200	370	530	100	1,0
VTD 301	300	470	630	100	1,2
VTD 401	400	570	730	100	1,2
VTD 501	500	670	830	100	1,2

VTS



DENOMINAZIONE	QUOTE				
	A	B1	B2	C	S
VTS 077	75	245	405	75	0,8
VTS 107	100	270	430	75	0,8
VTS 157	150	320	480	75	1,0
VTS 207	200	370	530	75	1,0
VTS 307	300	470	630	75	1,2
VTS 407	400	570	730	75	1,2
VTS 507	500	670	830	75	1,2
VTS 101	100	270	430	100	0,8
VTS 151	150	320	480	100	1,0
VTS 201	200	370	530	100	1,0
VTS 301	300	470	630	100	1,2
VTS 401	400	570	730	100	1,2
VTS 501	500	670	830	100	1,2